



American Ultraviolet®


Insightful Solutions. Remarkable Results. Since 1960.

The MRS14-4 mobile UVC device is ideal for small environments, including EMS, law enforcement / military vehicles, small offices, veterinary / kennels, and restaurants. It can be placed onto surfaces, or it can be suspended from one of the hooks on the top or bottom.

UVC energy has been shown to reduce pathogens by 99.9%.¹ An estimated 3-log (99.9%) pathogen reduction at 3 feet distance to an object can be estimated utilizing energy values compared against UVC output. Coronavirus (SARS) in less than 5 minutes; MRSA in less than 9 minutes; C. diff. in less than 15 minutes.¹

FEATURES

- 360° motion + IR sensor safety shut-off
- Four (4) 14" slimline UVC lamps
- Type 304 stainless steel construction
- Audible start / stop alarm
- Programmable cycle timer
- Remote control for cycle start/stop
- Eye hooks on top and bottom to suspend unit upright or upside down
- 8' grounded power cord




UVC Germicidal Solutions



MRS14-4

4-Lamp Mobile Room Solution



MRS14-4

4-Lamp Mobile Room Solution

Each pathogen has a specific k-value, which simply means that a specific amount of UVC dose (UVC Dose = UVC intensity x time) will break the DNA / RNA bonds of the DNA / RNA chain when a certain amount of UVC dose is applied. The pathogen will no longer be able to replicate², and is no longer capable of causing disease.

Example: Using the American Ultraviolet Pathogen Inactivation Chart¹ for Coronavirus at 99.9% (3-log reduction) and the table on this page, which shows UVC dose (mJ/cm²) values, the following can be estimated:

Coronavirus (SARS): UVC dose 5.00 mJ/cm²

5.00 mJ/cm² is the estimated UVC dose for a 3-log coronavirus reduction and referring to the dosage table and rounding this value the following can be estimated: MRS14-4 at 3 feet distance takes less than 1 minute to inactivate coronavirus to 99.9%. If the object being disinfected is closer to the MRS14-4 it would require a lower run time.

Additional examples are MRSA (estimated UVC dosage 25 mJ/cm² for a 2 to 3-log reduction, 50 mJ/cm² for 3+log reduction) or *C. diff.* (estimated UVC dosage 50 mJ/cm² for 2 to 3 log and 100 mJ/cm² for 3+ log reduction)¹. Looking at the table for a dose value near 25, 50 or 100 at various distances allows to estimate the run time for these two pathogens.

APPROXIMATE UVC DOSE (mJ/cm²) AT VARIOUS DISTANCES

1 mJ/cm² = 1000 μW-s/cm²

Time (minutes)	24"(0.6m)	36"(0.9m)	60"(1.5m)	120"(3m)
5	78	35	12	3
10	156	70	25	6
15	234	105	37	9
30	468	209	74	19
45	702	314	111	28
60	936	419	148	38



One size mobile UVC device does not fit all environments and budgets. We offer solutions that fit.

COMPARISON OF MOBILE UVC DEVICES				
	ARTZ 2.0®	MRS45-12	MRS33-8	MRS14-4
Lamp Qty	24	12	8	4
Lamp Size	45"	45"	33"	14"
Controller	Any WiFi Enabled Device	Onboard Touchscreen w/ Remote ON/OFF	Onboard Touchscreen w/ Remote ON/OFF	Digital Controller w/ Remote ON/OFF
Data Logging	Yes	No	No	No
360° Motion & IR Sensors	Yes	Yes	Yes	Yes
Weight	130 lbs (59kg)	95 lbs (43kg)	80 lbs (36kg)	20 lbs (9kg)
Dimensions	67"H x 28"W x 31"D	67"H x 26"W x 26"D	47"H x 20"W x 20"D	25"H x 10"W x 10"D
Amperage Draw at 120V	15A	8A	4A	1A
Power Cord	Retractable 20'	15'	15'	8'
Replacement Lamps	GML 515	GML 515	GML 100	GML 600A

¹ Based on current literature such as Ultraviolet Germicidal Irradiation Handbook 2009 by Kowalski; Boston University and Signify study on Covid19 Jun 2020; IUVA Guidance Documents

² ASHRAE Applications Handbook Ch 62 UVC for Air and Surface Disinfection

All American Ultraviolet mobile devices are designed to provide UVC energy. No warranty is offered, or responsibility taken, by American Ultraviolet, in regards to the process or efficacy of the device, as American Ultraviolet has no control over the use of the device. American Ultraviolet makes no claims to the actual log reduction of pathogens, as it can greatly vary depending on environment. UVC is an adjunct cleaning method, and dirt, dust, and debris should be removed from surfaces before UVC treatment.

Prolonged, direct exposure to UVC light can cause temporary skin redness and eye irritation, but does not cause skin cancer or cataracts. American Ultraviolet devices are designed with safety in mind and, when used in accordance with the Operation and Maintenance Manual, do not allow exposure to UVC irradiation, and do allow for safe operation and maintenance.



American Ultraviolet®
Insightful Solutions. Remarkable Results.
SINCE 1960

Corporate Headquarters: Lebanon, IN

800.288.9288

www.auvhealthcare.com

